



1 SECOND FLOOR PLAN
A-103 SCALE: 3/8" = 1'-0"



ARCHITECT
S.M. BERGER ARCHITECTURE P.C.
17 Circle Way
Sea Cliff, NY 11579
Tel: (516) 759-2661
Fax: (516) 676-1789
E-Mail: smb@smbarchitect.com



FLOOR PLAN SYMBOLS LEGEND


- (X) WALL TYPE TAG
- (XX) NEW 3/4 HR FIRE RATED DOOR TAG
- (C) NEW COMBIO SMOKE DETECTOR CARBON MONOXIDE DETECTOR CEILING MOUNTED, MAX. DISTANCE 5' FROM BEDROOM DOOR
- (P) NEW INTERIOR 1 HR. FIRE RATED PARTITION CONSTRUCTION TO BE 1 LAYER OF 5/8" GYP. BD. AT BOTH SIDES OF 3-1/2" METAL STUD AT 16" O.C.
- (P) NEW INTERIOR PARTITION CONSTRUCTION TO BE 1 LAYER OF 5/8" GYP. BD. AT BOTH SIDES OF 3-1/2" METAL STUD AT 16" O.C.
- (P) EXISTING EXTERIOR WALL STRUCTURE AND RATED WALL
- (P) EXISTING INTERIOR PARTITION

NO.	DATE	DESCRIPTION	BY

PROJECT
2 EAST 63RD STREET
NEW YORK, N.Y. 10065
ALT-1 NYC DOB # 120245868


SECOND FLOOR PLAN

SEAL & SIGNATURE	DATE: 1-30-09
JOB No: 0903	DRAWING BY: MCT
CHECK BY: SFB	DWG. No: A-103.01
	5 OF 10



SMB
ARCHITECTS

E-Mail: smb@smbachitect.com



SITE PLAN
NOT TO SCALE

WALL TYPE TAG

NEW 3/4 HR FIRE RATED DOOR TAG

NEW CARBON MONOXIDE DETECTOR
CEILING MOUNTED MAX. DISTANCE
5' FROM BEDROOM

NEW INTERIOR 1 HR FIRE RATED
PARTITION. CONSTRUCTION TO BE
LAYER OF 5/8" GYP. BOARD TYPE "X"
AT BOTH SIDES OF 3-1/2" METAL
STUD AT 16" O.C.

NEW INTERIOR PARTITION.
CONSTRUCTION TO BE 1 LAYER OF
5/8" GYP. BCD. AT BOTH SIDES OF
3-1/2" METAL STUD AT 16" O.C.

EXISTING EXTERIOR WALL
STRUCTURE AND RATED WALL

EXISTING INTERIOR PARTITION

[illegible]

PROJECT
2 EAST 63rd STREET
NEW YORK, N.Y. 10065
ALT-1 NYC DOB # 12024586

SEAL & SIGNATURE	DATE:	11-30-09
	JOB No.:	0932
	DRAWING BY:	MC
	CHECK BY:	SM
	DWG. No.	A-104.01

